

Rubber Matting & Flooring



CONTENTS

	Page
General Information	3
ANTI-FATIGUE MATTING	
SM410 BARK FINISH	PVC foam 4
SM411 RIBBED FINISH	PVC foam 4
SM479 CHECKER FINISH	PVC foam 4
SM480 BARK/COBBLED FINISH	PVC foam 5
SM488 RIBBED FINISH	PVC foam 5
SM644 MARBLE FINISH	PVC foam 5
SM629 SOLID TOPPED LINKABLE	Rubber 6
SM630 OPEN RING LINKABLE	Rubber 6
SM6104 CHECKER GRID LINKABLE	NR Blend 6
SM638 THREE SQUARE BEVELLED EDGE DRAINAGE MAT	Rubber 7
SM639 'BUBBLE' TOP FINISH	Rubber 7
SM635 OPEN RING BEVELLED RAMP EDGE	Rubber 7
RUBBER RUNNER MATTING	
SM500 FINE RIBBED	Rubber 8
SM505 FINE RIBBED - COLOURS	Rubber 8
SM520 FLAT FLUTED	Rubber 8
SM540 BROAD FLUTED	Rubber 9
SM540-693 SHALLOW RIDGE WIDE FLUTE	Rubber 9
SM5451 CHECKER PLATE 1 BAR	Rubber 9
SM5455 CHECKER PLATE 5 BAR	Rubber 10
SM546 ORANGE PEEL	Rubber 10
SM591 RHOMBUS (BOAT DECK MATTING)	Rubber 10
SM593 SMALL DOT	Rubber 11
SM597 PYRAMID	Rubber 11
SM599P PREMIUM CIRCULAR STUD	Rubber 11
SM599E ECONOMY CIRCULAR STUD	Rubber 12
SM596 DIAMOND	Rubber 12
PVC RUNNER MATTING	
SM560 FINE RIBBED	PVC 13
SM561 COIN CIRCULAR STUD	PVC 13
SM562 PYRAMID	PVC 13
SM563 PEBBLE BARK	PVC 14
SM564 BIG BUTTON	PVC 14
SM565 CHECKER PLATE 5 BAR	PVC 14
SM667 GRIPFLUTE	PVC 15
SM667 GRIP LINER	PVC 15
SM737 CHECKER PLATE 1 BAR	PVC 15
SM668 LATTICE	PVC 16
ELECTRICAL SAFETY MATTING	
SM550 15KV TESTED, 650V WORKING (OLD BS921) FINE RIBBED	Rubber 17
SM551 11KV TESTED, 450V WORKING FINE RIBBED	Rubber 17
SM552-555 ASTM D178 ANSI JS.7 TYPE 1 FINE RIBBED	Rubber 17
SM557 ASTM D178 ANSI JS.7 FINE RIBBED	Rubber 18
SM570 IEC61111:2009 BLACK FINE RIBBED	Rubber 18
SM571 IEC61111:2009 GREY FINE RIBBED	Rubber 18

EQUINE AND ANIMAL MATTING

SM600 RAISED STUD STABLE MATTING	NR blend 19
SM602 HAMMERED TOP STABLE MATTING	NR blend 19
SM604 AMOEBC BARK STABLE MATTING	NR blend 19
SM6101 COIN TOP STABLE MAT	NR blend 20
SM6102 AMOEBC BARK PATTERN STABLE MATS – LINKABLE	NR blend 20
SM6104 CHECKER GRID MATS – LINKABLE	NR blend 20
SM614 AMOEBC GYM CROSSFIT LINKABLE	Rubber 21
SM620 HAMMERED TOP HOLLOW BACK COW MATS	Rubber 21
SM595 RUBBER CRUMB	Rubber 21
SM625 HOLLOW RING GROUND STABILISATION MATS	NR blend 22
SM675 DEEP VARIABLE RIBBED PATTERN RAMP MATS	NR blend 22
SM695 DEEP WELL DISINFECTANT FINGER BRUSH MATS	NR blend 22
SM549 HEAVY DUTY DRAINAGE MATS	Rubber 23
SM665 HAMMERED HEAVY DUTY MATTING IN ROLLS	Rubber 23
SM780 GRIPTOP RAMP MATTING	Rubber 23
SM714 EVA FOAM – HIGH IMPACT WALL PROTECTION	EVA sheets 24
SM715 EVA LINKABLE STABLE MATS	EVA sheets 24

GYM, SPORTS AND LEISURE MATTING

SM599TM STUD FINISH	PVC 25
SM599TMHD BARK FINISH	PVC 25
SM591 RHOMBUS (BOAT DECK MATTING)	Rubber 25
SM597 PYRAMID	Rubber 26
SM715 EVA FOAM GYM MATS	Rubber 26
SM716 EVA FOAM PUZZLED EDGED LINKABLE GYM MATS	Rubber 26
SM717 EVA FOAM PUZZLED EDGED LINKABLE MMA/GYM MATS	EVA Foam 27
SM718 EVA FOAM GREEN INTERLOCKING MATS	EVA Foam 27

DOOR AND ENTRANCE MATTING

SM660 PINSRAPE FINGER MATS	Rubber 28
SM689 HOLLOW RING MATS	Rubber 28
SM750 IRON LOOK	Rubber 28
SM669 LOOP DESIGN BACKED AND UNBACKED	PVC 29
SM860 COCONUT COIR SCRAPER MATTING	PVC 29
SM695 DEEP WELL DISINFECTANT FINGER BRUSH MATS	NR blend 29

CATERING MATTING

SM629 SOLID TOPPED LINKABLE	Rubber 30
SM630 OPEN RING LINKABLE	Rubber 30
SM635 OPEN RING RAMP EDGE	Rubber 30
SM695 DEEP WELL DISINFECTANT FINGER BRUSH MATS	NR blend 31
SM668 LATTICE	PVC 31
SM560 FINE RIBBED	PVC 31
SM561 COIN CIRCULAR STUD	PVC 32
SM562 PYRAMID	PVC 32
SM563 PEBBLE BARK	PVC 32
SM599TM STUD FINISH	PVC 33
SM599TMHD BARK FINISH	PVC 33

Metroseal UK operations

Our present level of UK operations covers approximately 3,000 square metres of storage and 1,000 square metres of fabrication space at two locations in the UK with stock levels exceeding 800 metric tons. Extensive stocks and storage facilities are also held at our major production plants.

General information on manufactured products

Since 1987 Metroseal have been delivering not only high quality and competitively priced rubber sheets but also a stocking and distribution service second to none. We provide an honest, value for money service, encompassing popular rubber and plastic sheet, flooring, moulded, extruded and ancillary products and we are continually reviewing, evolving and striving to improve.

The vast majority of our sheet products are manufactured to meet internationally recognised safety standards.

Matting roll sizes

Our matting roll sizes vary from product to product. We stock a wide range of sizes including 5m, 10m, 20m, 50m lengths in widths from 0.91m to 2m wide. All products can be made to special size requirements to order, subject to minimums.

Moulded mat sizes

Moulded mats are stocked in a wide variety of sizes and formats. They can also be made to special order in specific sizes, subject to minimums.

Special compounds & requirements

Mats and matting can be manufactured in special grades to order, including: oil resistant, flame resistant, weather resistant, acid resistant & high & low temperature resistance. Products can also be manufactured in specific compounds such as: Neoprene, Hypalon, EPDM, Nitrile, Butyl, PVC, etc. Please contact us for details.

Special non-standard stock colours

Special colour requests are available for all our products to a specific RAL colour number made to order. Subject to minimum batch runs.

Material sample requests

Samples are available upon request to standard Metroseal sample size subject to stock availability. Samples are sent via standard mail. For special sizes, multiples, courier delivery & requirements please contact us.

Non-standard stock requirements.

Metroseal can manufacture moulded mats and mattings to customer specific requirements such as: special finishes, non-standard patterns and bespoke designs with straight and bevelled safety edging in black and colours such as yellow high-vis. Subject to minimums.

GENERAL DIMENSIONAL TOLERANCES	
Thickness	+/-
Below 1	0.15
1.0	0.25
1.5	0.30
2.0	0.35
3.0	0.40
5.0	0.55
6.0	0.75
10.0 and over	10%
Width	3%
Length	5%
Hardness	5°

Generally in accordance with British Rubber Manufacturers Association (BRMA) guidelines.


Full data sheets are available on each grade listed.

ANTI-FATIGUE MATTING

SM410 BARK FINISH

PVC FOAM


- Self skinning PVC foam
- Bark finish
- Ideal for light to medium dry traffic areas
- Available with yellow safety edge
- Good temperature insulation



SM411 RIBBED FINISH

PVC FOAM

- Self skinning PVC foam
- Ribbed finish
- Ideal for light to medium dry traffic areas
- Available with yellow safety edge
- Good temperature insulation



SM479 CHECKER FINISH

PVC FOAM

- Solid vinyl top surface
- Resistant to many common chemicals
- Comfortable foam anti-fatigue properties
- Good non-slip properties
- Durable and resilient



TYPICAL USES

Industrial workstations

Rolls	Colour	Weight Kg/M ²
0.91m x 18.3m x 9.5mm	Black/Yellow	2.4
0.91m x 18.3m x 9.5mm	Black	2.4

TYPICAL USES

Industrial workstations

Rolls	Colour	Weight Kg/M ²
0.91m x 18.3m x 9.5mm	Black/Yellow	2.4
0.91m x 18.3m x 9.5mm	Black	2.4

TYPICAL USES

Industrial workstations

Rolls	Colour	Weight Kg/M ²
0.91m x 18.3m x 12.5mm	Black	7.3
0.91m x 18.3m x 12.5mm	Black/Yellow	7.3
1.22m x 18.3m x 12.5mm	Black/Yellow	7.3

Mats	Colour	Weight Kg
0.91m x 1.5m x 9.5mm	Black/Yellow	7.3


All complete rolls and mats are supplied with a formed bevelled ramped edge. Cut lengths from rolls will have cut edges without bevel.

[<< back to contents](#)

ANTI-FATIGUE MATTING

SM480 BARK/COBBLED FINISH PVC FOAM

- Solid PVC bonded top surface
- Good non-slip properties
- Low maintenance, easy to clean and hygienic
- Good anti-fatigue characteristics
- Durable and resilient
- Attractive 'dimpled' finish



TYPICAL USES

Industrial workstations

Rolls	Colour	Weight Kg/M ²
0.91m x 18.3m x 12.5mm	Black	7.3

SM488 RIBBED FINISH PVC FOAM

- Solid hard wearing bonded surface
- Anti-slip
- Foam backing
- Good levels of comfort
- Ramped edges
- Single workstation mats in 3 sizes



TYPICAL USES


Industrial workstations

Mats	Colour	Weight Kg
0.6m x 0.9m x 12.5mm	Black	7.3
0.9m x 1.5m x 12.5mm	Black	7.3
0.9m x 3.0m x 12.5mm	Black	7.3

All mats are supplied with a self-formed bevelled/ramped safety edge

SM644 MARBLE FINISH PVC FOAM

- Solid vinyl marble effect top
- Hardwearing
- Good comfort
- Industrial or retail appropriate
- Ramped edges
- Supplied in rolls or mats



TYPICAL USES

Industrial workstations

Rolls	Colour	Weight Kg/M ²
0.91m x 22.86m x 12.5mm	Grey marble	7.3

Mats	Colour	Weight Kg
0.61m x 0.91m x 12.5mm	Grey marble	7.3
0.91m x 1.5m x 12.5mm	Grey marble	7.3

All complete rolls and mats are supplied with a formed bevelled ramped edge. Cut lengths from rolls will have cut edges without bevel.

[<< back to contents](#)

ANTI-FATIGUE MATTING

SM629 SOLID TOPPED LINKABLE RUBBER

- Attractive slip resistant pattern (flat/grid profile)
- Integral interlocking design
- Excellent protection from falls/noise reduction
- Heavy duty and durable
- Easy to lay
- Hollowed reverse for cushioning




TYPICAL USES

Catering, sports, leisure and gym

Mats	Colour	Weight Kg
0.9m x 0.9m x 15.0mm	Black	7.3

SM630 OPEN RING LINKABLE RUBBER

- Excellent drainage properties
- Easy to clean and hygienic
- Good anti-fatigue characteristics
- Highly durable and resilient
- Anti-slip finish
- Low maintenance



TYPICAL USES

Catering and industrial

Mats	Colour	Weight Kg
0.9m x 0.9m x 15.0mm	Black	6.4

SM630-BRE
Black Moulded Rubber Ramp Edges for above – male and female
SM630-YRE
Yellow Moulded Rubber Ramp Edges for above – male and female

SM6104 CHECKER GRID LINKABLE NR BLEND

- Attractive slip resistant checker pattern (grid profile)
- Integral interlocking design
- Excellent protection from falls/noise reduction
- Heavy duty and durable
- Easy to lay
- Hollowed reverse for cushioning/anti-fatigue



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
0.91m x 0.91m x 14mm	Black	6.4

[<< back to contents](#)

ANTI-FATIGUE MATTING

SM638 THREE SQUARE BEVELLED EDGE DRAINAGE MAT

RUBBER

- High quality rubber workstation mat
- Good water, liquid and debris drainage properties
- Anti-slip with integral moulded bevelled safety edge
- Easy to clean and hygienic
- Excellent anti-fatigue characteristics
- Highly durable and resilient



TYPICAL USES

Catering

Mats	Colour	Weight Kg
0.91m x 1.5m x 14.0mm	Black	9.0

SM639 'BUBBLE' TOP FINISH

RUBBER

- Excellent anti-fatigue properties
- Good slip resistant surface pattern
- Good quality durable rubber
- Easy to clean surface
- Economically priced



TYPICAL USES


Entrance doors

Mats	Colour	Weight Kg
0.6m x 0.9m x 13.0mm	Black	3.6
1.2m x 0.9m x 13.0mm	Black	7.9

SM635 OPEN RING RAMP EDGE

RUBBER

- Highly durable and resilient
- Good water, liquid and debris drainage properties
- Integral moulded bevelled safety edge
- Easy to clean and hygienic
- Excellent anti-fatigue characteristics
- Anti-slip finish



TYPICAL USES

Catering


Mats	Colour	Weight Kg
0.9m x 1.52m x 15.0mm	Black	9.0
0.9m x 1.52m x 15.0mm	Red	9.0

Black = general purpose
Red = oil and grease resistant

<< back to contents

RUBBER RUNNER MATTING

SM500	FINE RIBBED DESIGN	RUBBER
- Economically priced - Easily cut to size and shape - Low relief directional tread - Low maintenance - Non slip when wet		
		

SM505	FINE RIBBED DESIGN	RUBBER
- Durable and hardwearing anti slip rubber matting - Manufactured from SBR Rubber - Good insulation from cold concrete floors - Noise insulation properties - Great on work benches		
		

SM520	FLAT FLUTED DESIGN	RUBBER
- Smart, attractive pattern - Medium width fluted finish - Slip resistant directional ribbed surface - Impression finish anti-creep reverse - Good floor to foot cold insulation properties		
		

TYPICAL USES

Veterinary surgeries, kennels, goods transportation

Rolls	Colour	Weight Kg/M ²
0.9m x 10.0m x 3.0mm	Black	3.6
1.0m x 10.0m x 3.0mm	Black	3.6
1.2m x 10.0m x 3.0mm	Black	3.6
1.0m x 10.0m x 4.5mm	Black	5.5
1.2m x 10.0m x 4.5mm	Black	5.5
1.0m x 10.0m x 6.0mm	Black	7.5
1.2m x 10.0m x 6.0mm	Black	7.5
1.2m x 10.0m x 10.0mm	Black	12.5

TYPICAL USES

Veterinary surgeries, kennels, goods transportation

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Grey	3.6
1.2m x 10.0m x 3.0mm	Colours	3.6

TYPICAL USES

Veterinary surgeries, kennels, goods transportation

Rolls	Colour	Weight Kg/M ²
1.0m x 10.0m x 3.0mm	Black	3.9
1.2m x 10.0m x 3.0mm	Black	3.9
1.0m x 10.0m x 4.5mm	Black	6.2
1.2m x 10.0m x 4.5mm	Black	6.2
1.0m x 10.0m x 6.0mm	Black	8.4
1.2m x 10.0m x 6.0mm	Black	8.4

[<< back to contents](#)

RUBBER RUNNER MATTING

SM540 BROAD FLUTED DESIGN RUBBER

- Hardwearing natural rubber (NR) and SBR
- Aesthetic design
- Ideal for heavy traffic use
- Deep grooves make this mat easier to clean
- Commercial and Industrial use



TYPICAL USES


Equine, animal and farming, Industrial areas

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 5.0mm	Black	5.8
1.2m x 10.0m x 6.0mm	Black	7.9
1.2m x 10.0m x 10.0mm	Black	13.0
1.8m x 10.0m x 6.0mm	Black (1 ply)	5.8
1.8m x 10.0m x 10.0mm	Black (1 ply)	13.0

1 ply = Polyester fabric reinforcing layer

SM540-693 SHALLOW RIDGE DESIGN RUBBER

- Neat, attractive pattern
- Easily cut to size and shape
- High relief, wide flute, direction tread
- Low maintenance
- Non-slip when wet



TYPICAL USES

Equine, animal and farming

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 5.0mm	Black	5.8
1.2m x 10.0m x 6.0mm	Black	7.9
1.2m x 10.0m x 10.0mm	Black	13.0
2m x 10.0m x 3.0mm	Black	3.48
2m x 10.0m x 6.0mm	Black	6.96

SM5451 CHECKER PLATE 1 BAR RUBBER

- Checker plate design
- Hard wearing
- Slip resistant multi-directional surface
- Anti-creep reverse
- Good floor to foot cold insulation properties



TYPICAL USES

Industrial areas

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.8
1.2m x 10.0m x 3.0mm	Grey	3.8
1.2m x 10.0m x 4.5mm	Black	6.1
1.2m x 10.0m x 4.5mm	Grey	6.1

[<< back to contents](#)

RUBBER RUNNER MATTING

SM5455 CHECKER PLATE 5 BAR RUBBER

- Checker plate design
- Hard wearing rubber matting
- Multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties



TYPICAL USES

Industrial areas

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.8
1.2m x 10.0m x 3.0mm	Grey	3.8
1.2m x 10.0m x 4.5mm	Black	6.1
1.2m x 10.0m x 4.5mm	Grey	6.1

SM546 ORANGE PEEL DESIGN RUBBER

- Economically priced
- Hard wearing and durable rubber
- Unique patterned finish with anti-creep reverse
- Slip resistant multi-directional patterned surface
- Good floor to foot cold insulation properties



TYPICAL USES

Vets and kennels

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.8

SM591 RHOMBUS DESIGN RUBBER

- Premium grade rubber matting
- Diamond stud pattern
- Unique, safe non-slip rhombus pattern surface
- Ideal for use on boat decks or steep, inclined areas
- EPDM weather and ozone resistant grade available
- Anti-creep backing



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
SBR/NR Blend Grade		
1.0m x 10.0m x 3.2mm	Black	3.9
1.0m x 10.0m x 3.2mm	Grey	3.9
1.0m x 10.0m x 3.2mm	Blue	3.9

EPDM/SR BLEND GRADE

1.0m x 10.0m x 3.2mm	Black	3.9
1.0m x 10.0m x 3.2mm	Grey	3.9


[<< back to contents](#)

RUBBER RUNNER MATTING

SM593 SMALL DOT DESIGN

RUBBER

- Hard wearing and durable rubber
- Unique small dot patterned finish
- Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Cut lengths to order



TYPICAL USES

Universal low/medium duty applications

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.6
1.2m x 10.0m x 3.0mm	Green	3.6

SM597 PYRAMID DESIGN

RUBBER

- Pyramid stud pattern
- Multi-directional non-slip design
- Hard wearing
- Easy to lay
- High grip levels
- Low maintenance



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.0m x 10.0m x 3.0mm	Black	3.9
1.2m x 10.0m x 3.0mm	Black	3.9
1.0m x 10.0m x 4.0mm	Black	6.2
1.2m x 10.0m x 4.0mm	Black	6.2
1.0m x 10.0m x 6.0mm	Black	8.4
1.2m x 10.0m x 6.0mm	Black	8.4

SM599P PREMIUM CIRCULAR STUD DESIGN

RUBBER

- Circular stud pattern (2p size)
- Multi-directional non-slip design
- Hard wearing
- Premium finish
- High grip levels
- Low maintenance / easy clean



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.8
1.2m x 10.0m x 3.0mm	Blue	3.8
1.2m x 10.0m x 3.0mm	Grey	3.8
1.2m x 10.0m x 3.0mm	Green	3.8
1.2m x 10.0m x 4.0mm	Black	5.1
1.2m x 10.0m x 4.0mm	Grey	5.1

[<< back to contents](#)

RUBBER RUNNER MATTING

SM599E ECONOMY CIRCULAR STUD DESIGN

RUBBER

- Circular stud pattern (2p size)
- Multi-directional non-slip design
- Good wear resistance and grip levels
- Economy finish
- Economically priced
- Low maintenance / easy clean



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.8
1.2m x 10.0m x 4.0mm	Black	5.1

SM596 DIAMOND PLATE DESIGN

RUBBER

- Diamond stud pattern
- Multi-directional non-slip design
- Hard wearing
- High grip levels
- Cut lengths to order
- Low maintenance/easy clean



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.9

SM598 ROPE EFFECT DESIGN

RUBBER

- Unique rope effect pattern
- Multi-directional non-slip design
- Hard wearing heavy duty solution
- High grip levels
- Easy Trim
- Low maintenance/easy clean



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.0mm	Black	3.7


[<< back to contents](#)

PVC RUNNER MATTING

SM560 FINE RIBBED DESIGN

PVC


- Safe, hygienic and non toxic
- Oil and grease resistant
- Durable PVC compound
- Slip resistant patterned surface
- Good floor to foot cold insulation properties



SM561 COIN CIRCULAR STUD DESIGN

PVC


- Penny stud design
- Hard wearing PVC
- Oil and grease resistant
- Good floor to foot cold insulation



SM562 PYRAMID DESIGN

PVC

- Safe, hygienic and non toxic
- Oil and grease resistant
- Durable PVC compound
- Attractive pyramid design
- Good floor to foot cold insulation properties



TYPICAL USES

Catering and entrance doors

Rolls	Colour	Weight Kg/M2
1.2m x 10.0m x 12.0mm	Red	5.0
1.2m x 10.0m x 12.0mm	Blue	5.0

TYPICAL USES

Commercial, industrial and residential

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4
1.2m x 10.0m x 2.5mm	Grey	3.4
1.2m x 10.0m x 2.5mm	Green	3.4
1.2m x 10.0m x 2.5mm	Red	3.4

TYPICAL USES

Industrial workstations, catering

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4


[<< back to contents](#)

PVC RUNNER MATTING

SM563 PEBBLE BARK DESIGN

PVC

- Bark design finish
- Multi-directional non-slip
- Hard wearing PVC
- Oil and grease resistant
- Available in black, blue, grey, green and red



TYPICAL USES


Catering

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4
1.2m x 10.0m x 2.5mm	Grey	3.4
1.2m x 10.0m x 2.5mm	Green	3.4
1.2m x 10.0m x 2.5mm	Red	3.4

SM564 BIG BUTTON DESIGN

PVC

- Embossed stud vinyl
- Super anti-slip
- Good resistance to chemicals and stains
- Non-woven backing available
- Low maintenance



TYPICAL USES

Commercial, industrial and residential

Rolls	Colour	Weight Kg/M ²
2m x 10.0m x 2.0mm	Charcoal	2.75
2m x 10.0m x 2.0mm	Light grey	2.75
2m x 10.0m x 2.0mm	Blue	2.75

SM565 CHECKER PLATE 5 BAR DESIGN

PVC

- Embossed vinyl
- Super anti-slip and anti-scratch
- Good resistance to chemicals, oil and stains
- Non-woven backing available
- Low maintenance and durable



TYPICAL USES

Commercial, industrial and residential

Rolls	Colour	Weight Kg/M ²
2m x 10.0m x 2mm	High-viz yellow	2.75
2m x 10.0m x 2mm	Charcoal	2.75
2m x 10.0m x 2mm	Light grey	2.75


[<< back to contents](#)

PVC RUNNER MATTING

SM667 GRIPFLUTE DESIGN

PVC

- Wider fluted matting
- Easy to clean
- Simple to cut and fit
- Oil resistant PVC
- Available in black, blue, grey, green and red



TYPICAL USES


Vets and kennels, goods transportation

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 3.5mm	Black	3.8
1.2m x 10.0m x 3.5mm	Blue	3.8
1.2m x 10.0m x 3.5mm	Grey	3.8
1.2m x 10.0m x 3.5mm	Green	3.8
1.2m x 10.0m x 3.5mm	Red	3.8

SM667GL GRIPLINER DESIGN

PVC

- Grip Liner' premium grade PVC membrane matting
- Safe non-slip etched diamond pattern surface on one side with plain smooth backing
- Excellent chemical, oil and grease resistance
- Clean, hygienic, tough and durable
- Attractive range of colors



TYPICAL USES

Catering, general purpose, health and safety

Display, tray, drawer or step facings

Rolls	Colour	Weight Kg/M ²
1.2m x 15.0m x 1.5mm	Black	2.4
1.2m x 15.0m x 1.5mm	Green	2.4
1.2m x 15.0m x 1.5mm	Grey	2.4

SM737 CHECKER 1 BAR DESIGN

PVC

- Excellent non-slip properties
- Easy to clean and hygienic
- Good oil, grease and chemical resistance
- Excellent durability and resilience
- Attractive 'checker' finish
- Low maintenance



TYPICAL USES

Paths and walkways

Rolls	Colour	Weight Kg/M ²
0.9m x 18.3m x 3.0mm	Black	4.5
0.9m x 18.3m x 3.0mm	Grey	4.5
0.9m x 18.3m x 3.0mm	Black/Yellow edge	4.5
1.2m x 18.3m x 3.0mm	Black/Yellow edge	4.5

[<< back to contents](#)

PVC RUNNER MATTING

SM668 LATTICE DESIGN

PVC

- Simple wet area solution
- Indoors or outside
- Comfortable under foot
- Easy to fit and cut
- Economically priced

TYPICAL USES

Catering and entrance doors, gym, sports and leisure

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 4.0mm	Blue	3.0
1.2m x 10.0m x 4.0mm	Grey	3.0
1.2m x 10.0m x 4.0mm	Green	3.0
1.2m x 10.0m x 4.0mm	Red	3.0

ELECTRICAL SAFETY MATTING

SM550 FINE RIBBED DESIGN RUBBER

- Fully tested to old British Standard BS921
- Health and safety regulation material
- Fully traceable supply
- Regulatory branding on reverse
- Anti-slip finish
- Fully certified



TEST VOLTAGE	15kv
WORKING VOLTAGE	650v
STANDARD	Previously to BS921

TYPICAL USES

Electrical safety

Rolls	Weight Kg/M ²
0.9m x 10.0m x 9.5mm	12.0
1.0m x 10.0m x 9.5mm	12.0
1.2m x 10.0m x 9.5mm	12.0

SM551 FINE RIBBED DESIGN RUBBER

- Fully tested to specification
- Health and safety regulation material
- Fully traceable supply
- Regulatory branding on reverse every 1,000mm
- Ensures safety for operatives at lower voltage switchboard and high equipment areas
- Low maintenance anti-slip finish



TEST VOLTAGE	11kv
WORKING VOLTAGE	450v

TYPICAL USES

Electrical safety

Rolls	Weight Kg/M ²
0.9m x 10.0m x 6.0mm	8.0
1.0m x 10.0m x 6.0mm	8.0
1.2m x 10.0m x 6.0mm	8.0

SM552-555 FINE RIBBED DESIGN RUBBER

- Fully tested to specification with regulation standard stamped on backing at 1,000mm intervals
- Low maintenance, fine ribbed design
- Health and safety regulation material
- Fully traceable supply
- Anti-slip finish and anti-creep backing



Specification ASTM D178 ANSI JS.7 TYPE 1	Test Voltage	Maximum allowable working voltage	Metroseal thickness (mm)	Metroseal Code (metar)
Class '1'	20,000	7,500	4.5	SM552-01
Class '2'	30,000	17,000	6.5	SM553-02
Class '3'	40,000	26,000	9.5	SM554-03
Class '4'	50,000	36,000	12.7	SM555-04

TYPICAL USES

Electrical safety

Rolls	Class	Weight Kg/M ²
0.9m x 18.3m x 4.5mm	Class '1'	6.3
1.2m x 18.3m x 4.5mm	Class '1'	6.3
0.9m x 18.3m x 6.5mm	Class '2'	8.9
1.2m x 18.3m x 6.5mm	Class '2'	8.9
0.9m x 10.0m x 9.5mm	Class '3'	13.8
0.9m x 10.0m x 12.7mm	Class '4'	18.0


<< back to contents

ELECTRICAL SAFETY MATTING

SM557 FINE RIBBED DESIGN

RUBBER

- ASTM D178 ANSI JS.7
- Fully tested to specification
- Health and safety regulation material
- Fully traceable supply
- Regulatory branding on reverse
- Low maintenance
- Anti-slip finish and anti-creep backing



Specification ASTM D178 ANSI JS.7 TYPE 2	Test Voltage	Maximum allowable working voltage	Metroseal thickness (mm)	Metroseal Code (metar)
Class '1'	20,000	7,500	4.5	SM557-01
Class '2'	30,000	17,000	6.5	SM557-02
Class '3'	40,000	26,000	9.5	SM557-03

TYPICAL USES

Electrical safety

Rolls	Class	Weight Kg/M ²
1.0m x 10.0m x 4.5mm	Class '1'	6.3
1.0m x 10.0m x 6.5mm	Class '2'	8.9
1.0m x 10.0m x 10.0mm	Class '3'	13.8

SM570 FINE RIBBED DESIGN

RUBBER

- Fully tested to specification IEC 61111:2009
- Class' resistant from 1,000 volts to 36,000 volts
- Fully traceable supply
- Regulatory branding on reverse every 1,000mm
- Ensures safety for operatives at lower voltage switchboard and high equipment areas



Specification IEC 61111 (2009)	Test Voltage	Maximum allowable working voltage	Metroseal thickness (mm)	Metroseal Code
Class '0'	10,000	1,000	3.0	SM570-00
Class '1'	20,000	7,500	3.0	SM570-01
Class '2'	30,000	17,000	4.0	SM570-02
Class '3'	40,000	26,500	4.5	SM570-03
Class '4'	50,000	36,000	5.0	SM570-04

TYPICAL USES

Catering

Rolls in black only	Class	Weight Kg/M ²
1.0m x 10.0m x 3.0mm	Class '0'	4.3
1.0m x 10.0m x 6.0mm	Class '0'	8.5
1.0m x 10.0m x 3.0mm	Class '1'	4.3
1.0m x 10.0m x 4.0mm	Class '2'	5.8
1.0m x 10.0m x 4.5mm	Class '3'	6.5
1.0m x 10.0m x 5.0mm	Class '4'	7.6

SM571 FINE RIBBED DESIGN

RUBBER

- Class' resistant from 1,000 volts to 36,000 volts
- Fully traceable supply
- Regulatory branding on reverse every 1,000mm
- Ensures safety for operatives at lower voltage switchboard and high equipment areas



Specification IEC 61111 (2009)	Test Voltage	Maximum allowable working voltage	Metroseal thickness (mm)	Metroseal Code
Class '0'	10,000	1,000	3.0	SM571-00
Class '1'	20,000	7,500	3.0	SM571-01
Class '2'	30,000	17,000	4.0	SM571-02
Class '3'	40,000	26,500	4.5	SM571-03
Class '4'	50,000	36,000	5.0	SM571-04

TYPICAL USES

Electrical safety

Rolls in grey only	Class	Weight Kg/M ²
1.0m x 10.0m x 3.0mm	Class '0'	4.3
1.0m x 10.0m x 3.0mm	Class '1'	4.3
1.0m x 10.0m x 4.0mm	Class '2'	5.8
1.0m x 10.0m x 4.5mm	Class '3'	6.5
1.0m x 10.0m x 5.0mm	Class '4'	7.6

<< back to contents

EQUINE AND ANIMAL MATTING

SM600 RAISED STUD PATTERN NR BLEND

- Tough heavy duty rubber
- Raised stud pattern
- Deep channel rib pattern on backing
- Economically priced
- High grip levels




TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.2m x 1.8m x 12.0mm	Black	36.0
1.2m x 1.8m x 17.0mm	Black	47.0

SM602 HAMMERED TOP PATTERN NR BLEND

- Robust heavy duty rubber
- High profile hammered pattern one side
- Broad ribbed fluted pattern on other side
- Easily cleaned
- Economically priced



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.2m x 1.8m x 12.0mm	Black	36.0
1.2m x 1.8m x 17.0mm	Black	47.0

SM604 AMOEBC BARK FINISH NR BLEND

- Robust heavy duty rubber
- Very low profile amoebic anti slip pattern
- Broad ribbed fluted pattern on other side
- Easily cleaned
- Economically priced
- Extended thickness' and size range



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.0m x 2.0m x 10.0mm	Black	30.0
1.2m x 1.8m x 10.0mm	Black	32.0
1.2m x 1.8m x 12.0mm	Black	36.0
1.2m x 1.8m x 17.0mm	Black	47.0

[<< back to contents](#)

EQUINE AND ANIMAL MATTING

SM6101 COIN TOP STABLE MAT NR BLEND

- Attractive slip resistant pattern – studded design
- Reverse of mat also an attractive flat profile finish
- Integral interlocking design – gives a nice finish
- Excellent protection from falls and noise
- Heavy and durable
- Professional looking premium finish




TYPICAL USES

Equine, animal and farming

Mats	Colour	Weight Kg
1.0m x 1.0m x 17.0mm	Black	21.0

SM6102 AMOEBC BARK PATTERN STABLE MATS – LINKABLE NR BLEND

- Attractive amoebic pattern slip resistant finish
- Reverse also an attractive flat profile finish
- Integral interlocking design – leaves a nice finish
- Excellent protection from falls and noise
- Heavy, durable and easy to clean
- Professional looking premium modern finish



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.0m x 1.0m x 12.0mm	Black	15.0
1.0m x 1.0m x 17.0mm	Black	21.0

SM6104 CHECKER GRID MATS – LINKABLE NR BLEND

- Attractive slip resistant checker pattern (grid profile)
- Integral interlocking design
- Excellent protection from falls/noise reduction
- Heavy duty and durable
- Easy to lay
- Hollowed reverse for cushioning/anti-fatigue



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
0.91m x 0.91m x 14mm	Black	6.4

[<< back to contents](#)

EQUINE AND ANIMAL MATTING

SM614 AMOEBC GYM CROSSFIT LINKABLE RUBBER MATS

RUBBER

- Attractive slip resistant amoebic design finish
- Attractive ribbed profile finish on reverse
- Interlocking design giving professional finish
- Excellent protection from falls/noise reduction
- Heavy, durable with easy clean design
- Edging and corners available



TYPICAL USES


Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.0m x 1.0m x 17mm	Black	16.0

SM620 HAMMERED TOP HOLLOW BACK COW MATS

RUBBER

- High quality all rubber moulded construction
- Attractive hammered non-slip pattern
- Unique recessed, hollowed cellular back
- Excellent foot/floor low temperature insulation
- Linkable



TYPICAL USES

Equine, animal and farming

Mats	Colour	Weight Kg
1.15m x 1.8m x 25.0mm	Black	45.0
1.20m x 1.8m x 25.0mm	Black	48.0

The above mats are also available with linkable 'puzzled' edges to special order.

SM595 RUBBER CRUMB

RUBBER

- Tough and durable
- Soft and cushioning, ideal for use as underlay
- Good insulation properties
- Easy to lay
- Flexible
- Eco friendly



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.2m x 10m x 3mm	Black	3.30
1.2m x 10m x 5mm	Black	5.50
1.2m x 10m x 6mm	Black	6.60
1.2m x 10m x 10mm	Black	11.00
1.2m x 10m x 12mm	Black	13.20
1.2m x 10m x 15mm	Black	16.50
1.2m x 10m x 20mm	Black	22.00

The above mats are also available with linkable 'puzzled' edges to special order.

[<< back to contents](#)

EQUINE AND ANIMAL MATTING

SM625 HOLLOW RING GROUND STABILISATION MATS NR BLEND

- Excellent drainage properties
- High ground stabilisation
- Good anti-fatigue characteristics
- High impact resistance
- Anti-slip finish



TYPICAL USES

Catering, equine, animal and farming, sports, leisure, gym and entrance doors

Mats	Colour	Weight Kg
1.0m x 1.5m x 16.0mm	Black	9.8
1.0m x 1.5m x 22.0mm	Black	13.0

SM675 DEEP VARIABLE RIBBED PATTERN RAMP MATS NR BLEND

- Excellent non-slip characteristics
- Large sheet size
- Unique dual ridged pattern
- Good durability and resilience
- Attractive finish and appearance



TYPICAL USES

Equine, animal and farming

Mats	Colour	Weight Kg
1.2m x 2.1m x 17.0mm	Black	25.0

SM695 DEEP WELL DISINFECTANT FINGER BRUSH HYGIENE MATS NR BLEND

- High quality all rubber moulded construction
- Option black or black with yellow safety edge
- Bevelled safety edge all round
- Deep 18mm well for disinfectant retention
- Dimpled well base for foot scraping
- Heavy duty 25mm thickness



TYPICAL USES

Equine, animal and farming, catering

Mats	Colour	Weight Kg
1.2m x 2.1m x 17.0mm	Black	25.0

[<< back to contents](#)

EQUINE AND ANIMAL MATTING

SM549 HEAVY DUTY DRAINAGE MATS

RUBBER

- Good non-slip and anti-creep characteristics
- Good impact resistance
- Comfort underfoot
- Excellent drainage
- Good durability and resilience
- Low maintenance



TYPICAL USES

Animal, vehicle and wet areas

Mats	Colour	Weight Kg
1.8m x 10.0m x 10.0mm	Black	14.0

SM665 HAMMERED DESIGN

RUBBER

- Good non-slip characteristics
- Good impact resistance
- Extra wide width/lengths
- Good durability and resilience
- Attractive finish and appearance



TYPICAL USES

Equine, animal and farming, gym, sports and leisure

Rolls	Colour	Weight Kg/M ²
1.8m x 10.0m x 6.0mm	Black	8.6
1.2m x 10.0m x 10.0mm	Black	13.9
1.8m x 10.0m x 10.0mm	Black	13.9
2.0m x 11.0m x 10.0mm	Black	13.9
2.0m x 11.0m x 15.0mm	Black	19.5

With the exception of 6.0mm thick (smooth back) other thicknesses have standard fluted back surface

SM780 GRIPTOP DESIGN

RUBBER

- Excellent slip resistance
- Dry or wet areas
- Reinforced backing for easy fix/strength
- Great for ramps, steps and wet areas
- Very durable



TYPICAL USES

Equine, animal and farming

Rolls	Colour	Weight Kg/M ²
1.2m x 50.0m x 5.0mm	Black	5.2
1.5m x 50.0m x 5.0mm	Black	5.2

The above items have a 1 ply E80 non stretch heavy duty polyamide fabric backing on reverse side. Also available in 2 ply fabric version for additional strength.

[<< back to contents](#)

EQUINE AND ANIMAL MATTING

SM714 HIGH IMPACT WALL PROTECTION

EVA SHEETS

- Heavy density foam (cushioned) construction
- Neat patterned matt black finish
- Good impact resistance
- Lightweight for easy handling
- Excellent sound/low temperature insulation properties
- Dense EVA foam
- Easy to install with screws



TYPICAL USES

Animal, vehicle and stables

Mats	Colour	Weight Kg
1.8m x 10.0m x 10.0mm	Black	3.6
1.8m x 10.0m x 20.0mm	Black	7.2

SM715 PUZZLED EDGED

EVA FOAM

- Water resistant
- Anti-slip surface
- Lightweight alternative for stables
- Excellent insulation properties
- Easy to lay and fit to size
- Low maintenance/easy clean



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.8m x 1.22m x 24mm	Black	3.2
0.9m x 1.22m x 24mm	Black	1.6
1.8m x 1.22m x 34mm	Black	4.5
1.8m x 1.22m x 24mm	Black square edge	3.2

[<< back to contents](#)

GYM, SPORTS AND LEISURE MATTING

SM599TM STUD FINISH PVC

- Attractive, slip resistant, circular penny stud design
- Integral interlocking design – gives a nice finish
- Oil resistant
- Heavy and durable
- Professional looking, premium modern finish
- Easy to clean



TYPICAL USES

Catering, sports, leisure and gym

Mats	Colour	Weight Kg
0.457m x 0.457m x 4.5mm	Black	1.0
0.457m x 0.457m x 4.5mm	Grey	1.0
0.457m x 0.457m x 4.5mm	Blue	1.0
0.457m x 0.457m x 4.5mm	Green	1.0
0.457m x 0.457m x 4.5mm	Red	1.0

SM599TMHD BARK FINISH PVC

- Attractive, slip resistant, amoebic bark design
- Integral interlocking design – leaves a nice finish
- Oil resistant – heavy and durable
- Professional looking, premium modern finish
- Long Life
- Easy to clean



TYPICAL USES

Catering, sports, leisure and gym

Mats	Colour	Weight Kg
0.50m x 0.50m x 7.0mm	Black	1.2
0.50m x 0.50m x 7.0mm	Grey	1.2
0.50m x 0.50m x 7.0mm	Blue	1.2
0.50m x 0.50m x 7.0mm	Green	1.2
0.50m x 0.50m x 7.0mm	Red	1.2
0.50m x 0.50m x 7.0mm	Yellow	1.2
0.50m x 0.50m x 7.0mm	White	1.2

The above also has black or yellow moulded ramp edges and corners.

SM591 RHOMBUS DESIGN RUBBER

- Premium grade rubber matting
- Diamond stud pattern
- Unique, safe non-slip rhombus pattern surface
- Ideal for use on boat decks or steep, inclined areas
- EPDM weather and ozone resistant grade available
- Anti-creep backing



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M²
SBR/NR Blend Grade		
1.0m x 10.0m x 3.2mm	Black	3.9
1.0m x 10.0m x 3.2mm	Grey	3.9
1.0m x 10.0m x 3.2mm	Blue	3.9
EPDM/SR BLEND GRADE		
1.0m x 10.0m x 3.2mm	Black	3.9
1.0m x 10.0m x 3.2mm	Grey	3.9

<< back to contents

GYM, SPORTS AND LEISURE MATTING

SM597 PYRAMID DESIGN

RUBBER

- Pyramid stud pattern
- Multi-directional non-slip design
- Hard wearing
- Easy to lay
- High grip levels
- Low maintenance



TYPICAL USES

Sports, leisure and gym

Rolls	Colour	Weight Kg/M ²
1.0m x 10.0m x 3.0mm	Black	3.9
1.2m x 10.0m x 3.0mm	Black	3.9
1.0m x 10.0m x 4.0mm	Black	6.2
1.2m x 10.0m x 4.0mm	Black	6.2
1.0m x 10.0m x 6.0mm	Black	8.4
1.2m x 10.0m x 6.0mm	Black	8.4

SM715 PUZZLED EDGED

EVA FOAM

- Water resistant
- Anti-slip surface
- Lightweight and hard-wearing
- Excellent insulation properties
- Easy to lay and fit to size
- Low maintenance



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.8m x 1.22m x 24mm	Black	3.2
0.9m x 1.22m x 24mm	Black	1.6
1.8m x 1.22m x 34mm	Black	4.5
1.8m x 1.22m x 24mm	Black square edge	3.2

SM716 PUZZLED EDGED LINKABLE GYM MATS

EVA FOAM

- Anti-fatigue benefits
- Sound deadening and shock absorbing qualities
- Interlocking/linkable edges
- Easy to clean with wipe down design
- Non porous (wont retain liquid)
- Extremely lightweight for easy moving and storage



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
60cm x 60cm x 12mm	Black	0.45


<< back to contents

GYM, SPORTS AND LEISURE MATTING

SM717 PUZZLED EDGED LINKABLE MMA/GYM MATS

EVA FOAM

- Fully reversible design
- Anti-fatigue benefits
- Sound deadening and shock absorbing qualities
- Interlocking/linkable edges
- Easy to clean and non porous (wont retain liquid)
- Extremely lightweight for easy moving and storage



TYPICAL USES

Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.0m x 1.0m x 20.0mm	Blue/Green	5.2

SM717 PUZZLED EDGED LINKABLE MMA/GYM MATS

EVA FOAM

- Fully reversible design
- Anti-fatigue benefits
- Sound deadening and shock absorbing qualities
- Interlocking/linkable edges
- Easy to clean and non porous (wont retain liquid)
- Extremely lightweight for easy moving and storage



TYPICAL USES


Equine, animal and farming, sports, leisure and gym

Mats	Colour	Weight Kg
1.0m x 1.0m x 30.0mm	Red/Black	5.2

SM718 GREEN INTERLOCKING MATS

EVA FOAM

- Anti-fatigue with shock absorbing qualities
- Universal applications
- Interlocking with linkable Safety Edges
- Extremely lightweight and easy to clean
- Great for indoor and outdoor use
- Ideal to break children's falls



TYPICAL USES

Outdoor, interlocking and wet areas


Mats	Colour	Weight Kg
0.6m x 0.6m x 12.0mm	Green	0.5

[<< back to contents](#)

DOOR AND ENTRANCE MATTING

SM660 PINSCRAPE FINGER MATS RUBBER

- Unique finger patterned surface design
- Made from tough and durable natural rubber
- Indoor or outdoor applications
- High slip resistance with anti slip bevelled edges
- Finger pin design allows for scraping of feet
- Good dust, dirt and fluid retention



TYPICAL USES

Catering and entrance doors

Mats	Colour	Weight Kg
0.4m x 0.60m x 13.0mm	Black	2.8
0.6m x 0.80m x 13.0mm	Black	2.8
0.8m x 1.00m x 13.0mm	Black	2.8
0.9m x 1.50m x 13.0mm	Black	2.8
0.9m x 1.83m x 13.0mm	Black	2.8

SM689 HOLLOW RING MATS RUBBER

- Good non-slip characteristics
- Easily cleaned
- Excellent drainage properties
- Good durability and resilience
- Attractive finish and appearance
- Low maintenance




TYPICAL USES

Catering and entrance doors

Mats	Colour	Weight Kg
0.4m x 0.60m x 13.0mm	Black	1.2
0.6m x 0.80m x 13.0mm	Black	1.2
0.8m x 1.00m x 13.0mm	Black	1.2
0.9m x 1.50m x 13.0mm	Black	1.2
0.9m x 1.83m x 13.0mm	Black	1.2

SM750 IRON LOOK FINISH RUBBER

- Good non-slip characteristics
- Easily cleaned
- Excellent drainage properties
- Good durability and resilience
- Attractive finish and appearance
- Low maintenance



TYPICAL USES

Entrance doors

Mats		Weight Kg
0.40m x 0.67m x 15.0mm	Half round	1.8
0.45m x 0.75m x 15.0mm	Rectangular	2.6

[<< back to contents](#)

DOOR AND ENTRANCE MATTING

SM669 LOOP DESIGN BACKED AND UNBACKED

PVC

- Premium grade PVC
- Unique inter-woven design
- Highly affected surface for removing debris from feet
- Construction allows for dust and debris retention
- Hygienic and easy to shake clean and wash
- Attractive design and pattern



TYPICAL USES

Marinas and beach bars

Rolls	Colour	Weight Kg
Backed		
1.2m x 10.0m x 10.0mm	Blue	6.0
1.2m x 10.0m x 10.0mm	Grey	6.0
Unbacked		
1.2m x 10.0m x 10.0mm	Blue	6.0
1.2m x 10.0m x 10.0mm	Grey	6.0

SM860 COCONUT COIR SCRAPER MATTING

PVC

- Easily cut to size and shape
- Low maintenance coconut hair bristle brush
- Excellent footwear cleaning ability
- Anti-slip when wet
- Absorbs moisture and retains dirt
- Effective protective defence for carpets and flooring
- PVC backed



TYPICAL USES

Doorways and entrances

Rolls	Colour	Weight Kg
20m x 1m x 17.0mm	Beige	3.25

SM695 DEEP WELL DISINFECTANT FINGER BRUSH HYGIENE MATS

NR BLEND

- High quality all rubber moulded construction
- Option black or black with yellow safety edge
- Bevelled safety edge all round
- Deep 18mm well for disinfectant retention
- Dimpled well base for foot scraping
- Heavy duty 25mm thickness



TYPICAL USES

Equine, animal and farming, catering

Mats	Colour	Weight Kg/M ²
1.2m x 2.1m x 17.0mm	Black	25.0

[<< back to contents](#)

CATERING MATTING

SM629 SOLID TOPPED LINKABLE RUBBER

- Attractive slip resistant pattern (flat/grid profile)
- Integral interlocking design
- Excellent protection from falls/noise reduction
- Heavy duty and durable
- Easy to lay
- Hollowed reverse for cushioning




TYPICAL USES

Catering, Sports, leisure and gym

Mats	Colour	Weight Kg
0.9m x 0.9m x 15.0mm	Black	7.3

SM630 OPEN RING LINKABLE RUBBER

- Excellent drainage properties
- Easy to clean and hygienic
- Good anti-fatigue characteristics
- Highly durable and resilient
- Anti-slip finish
- Low maintenance



TYPICAL USES


Catering and industrial

Mats	Colour	Weight Kg
0.9m x 0.9m x 15.0mm	Black	6.4

SM630-BRE
Black Moulded Rubber Ramp Edges for above – male and female
SM630-YRE
Yellow Moulded Rubber Ramp Edges for above – male and female

SM635 OPEN RING RAMP EDGE RUBBER

- Highly durable and resilient
- Good water, liquid and debris drainage properties
- Integral moulded bevelled safety edge
- Easy to clean and hygienic
- Excellent anti-fatigue characteristics
- Anti-slip finish



TYPICAL USES

Catering

Mats	Colour	Weight Kg
0.9m x 1.52m x 15.0mm	Black	9.0
0.9m x 1.52m x 15.0mm	Red	9.0

Black = general purpose
Red = oil and grease resistant

<< back to contents

CATERING MATTING

SM695 DEEP WELL DISINFECTANT FINGER BRUSH HYGIENE MATS NR BLEND

- High quality all rubber moulded construction
- Option black or black with yellow safety edge
- Bevelled safety edge all round
- Deep 18mm well for disinfectant retention
- Dimpled well base for foot scraping
- Heavy duty 25mm thickness



TYPICAL USES


Equine, animal and farming, catering

Mats	Colour	Weight Kg
1.2m x 2.1m x 17.0mm	Black	25.0

SM668 LATTICE DESIGN

PVC

- Simple wet area solution
- Indoors or outside
- Comfortable under foot
- Easy to fit and cut
- Economically priced



TYPICAL USES


Catering and entrance doors, gym, sports and leisure

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 4.0mm	Blue	3.0
1.2m x 10.0m x 4.0mm	Grey	3.0
1.2m x 10.0m x 4.0mm	Green	3.0
1.2m x 10.0m x 4.0mm	Red	3.0

SM560 FINE RIBBED DESIGN

PVC

- Safe, hygienic and non toxic
- Oil and grease resistant
- Durable PVC compound
- Slip resistant patterned surface
- Good floor to foot cold insulation properties



TYPICAL USES

Catering and entrance doors


Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 12.0mm	Red	5.0
1.2m x 10.0m x 12.0mm	Blue	5.0

<< back to contents

CATERING MATTING


SM561 COIN CIRCULAR STUD DESIGN PVC

- Penny stud design
- Hard wearing PVC
- Oil and grease resistant
- Good floor to foot cold insulation




SM562 PYRAMID DESIGN PVC

- Safe, hygienic and non toxic
- Oil and grease resistant
- Durable PVC compound
- Attractive pyramid design
- Good floor to foot cold insulation properties



SM563 PEBBLE BARK DESIGN PVC

- Bark design finish
- Multi-directional non-slip
- Hard wearing PVC
- Oil and grease resistant
- Available in black, blue, grey, green and red



TYPICAL USES

Commercial, industrial and residential

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4
1.2m x 10.0m x 2.5mm	Grey	3.4
1.2m x 10.0m x 2.5mm	Green	3.4
1.2m x 10.0m x 2.5mm	Red	3.4

TYPICAL USES

Industrial workstations, catering

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4

TYPICAL USES

Catering

Rolls	Colour	Weight Kg/M ²
1.2m x 10.0m x 2.5mm	Black	3.4
1.2m x 10.0m x 2.5mm	Blue	3.4
1.2m x 10.0m x 2.5mm	Grey	3.4
1.2m x 10.0m x 2.5mm	Green	3.4
1.2m x 10.0m x 2.5mm	Red	3.4

[<< back to contents](#)

CATERING MATTING

SM599TM STUD FINISH

PVC

- Attractive, slip resistant, circular penny stud design
- Integral interlocking design – gives a nice finish
- Oil resistant – heavy and durable
- Professional looking, premium modern finish
- Easy to clean



TYPICAL USES


Catering, sports, leisure and gym

Mats	Colour	Weight Kg
0.457m x 0.457m x 4.5mm	Black	1.0
0.457m x 0.457m x 4.5mm	Grey	1.0
0.457m x 0.457m x 4.5mm	Blue	1.0
0.457m x 0.457m x 4.5mm	Green	1.0
0.457m x 0.457m x 4.5mm	Red	1.0

SM599TMHD BARK FINISH

PVC

- Attractive, slip resistant, amoebic bark design
- Integral interlocking design – leaves a nice finish
- Oil resistant – heavy and durable
- Professional looking, premium modern finish
- Long Life and easy to clean



TYPICAL USES

Catering, sports, leisure and gym

Mats	Colour	Weight Kg
0.50m x 0.50m x 7.0mm	Black	1.2
0.50m x 0.50m x 7.0mm	Grey	1.2
0.50m x 0.50m x 7.0mm	Blue	1.2
0.50m x 0.50m x 7.0mm	Green	1.2
0.50m x 0.50m x 7.0mm	Red	1.2
0.50m x 0.50m x 7.0mm	Yellow	1.2
0.50m x 0.50m x 7.0mm	White	1.2

The above also has black or yellow moulded ramp edges and corners.

<< back to contents



**Head office and Factory
Sheeting and Matting Division**

Units 28 and 30 Purdeys Way
Purdeys Industrial Estate
Rochford
Essex SS4 1ND
United Kingdom
Phone: 0044 (0)1702 548800
Fax: 0044 (0)1702 549966
Email: sales@metroseal.co.uk

Fabrication and Conversion Division

Unit 8
Saxon Business Park
Littleport
Cambridgeshire CB6 1XX
United Kingdom
Phone: 01353 864880
Fax: 01353 864881
Email: cambridge@metroseal.co.uk